




Shadow Light


DESIGN: **FERRARA PALLADINO**




Shadow 1 Light S




(Shadow 1-291 S) mm 2811
 (Shadow 1-230 S) mm 2202
 (Shadow 1-155 S) mm 1450
 (Shadow 1-125 S) mm 1152



(Shadow 1-291 S) mm 2910 (114" 1/2)
 (Shadow 1-230 S) mm 2301 (90" 1/2)
 (Shadow 1-155 S) mm 1549 (61")
 (Shadow 1-125 S) mm 1251 (49" 1/4)



mm 190
 (7" 1/2)




(Shadow 1-291 S) mm 2910 (114" 1/2)
 (Shadow 1-230 S) mm 2301 (90" 1/2)
 (Shadow 1-155 S) mm 1549 (61")
 (Shadow 1-125 S) mm 1251 (49" 1/4)



Shadow 1 Light 291 S





					Colore/Finish Ausführung Couleurs/Lijst		
2x35-49-80W T16			13,7	136600A	05	10	
2x35-49-80W T16			13,7	136601A	05	10	
2x35-49-80W T16			13,7	136602A	05	10	
2x35-49-80W T16			13,7	136603A	05	10	
2x35-49-80W T16			14,2	136604A	05	10	
2x35-49-80W T16			14,7	136605A	05	10	

2x35-49-80W G5



Height from eye level **H**
 Room size **4H, 2H**
 Reflectances (ceiling/walls/floor) **0.7/0.5/0.2**
 Distance between luminaries **0.25H**

	35W	49W	80W
UGR _{rand} wise	12,0	12,9	14,1
UGR _{cross} wise	11,9	12,8	14,0




Shadow 1 Light 230 S

2x28-54W T16			136582A.	05	10
2x28-54W T16			136583A.	05	10
2x28-54W T16			136584A.	05	10
2x28-54W T16			136585A.	05	10
2x28-54W T16			136586A.	05	10
2x28-54W T16			136587A.	05	10



Colore/Finish
Ausführung
Couleurs/L'èpre

2x28-54W G5




Height from eye level **H**
 Room size **4H, 2H**
 Reflectances (ceiling/walls/floor) **0.7/0.5/0.2**
 Distance between luminaries **0.25H**

28W 54W
 UGR_{Revised} **12,0 13,8**
 UGR_{Crosswise} **11,9 13,7**



Room 3 **28W**




Room 3 **54W**

Shadow 1 Light 155 S

1x35-49-80W T16			136594A.	05	10
1x35-49-80W T16			136595A.	05	10
1x35-49-80W T16			136596A.	05	10
1x35-49-80W T16			136597A.	05	10
1x35-49-80W T16			136598A.	05	10
1x35-49-80W T16			136599A.	05	10



Colore/Finish
Ausführung
Couleurs/L'èpre

1x35-49-80W G5




Height from eye level **H**
 Room size **4H, 2H**
 Reflectances (ceiling/walls/floor) **0.7/0.5/0.2**
 Distance between luminaries **0.25H**


35W 49W 80W
 UGR_{Revised} **12,0 12,9 14,2**
 UGR_{Crosswise} **11,8 12,8 14,0**



Room 3 **35W**



Room 3 **49W**




Room 3 **80W**

Shadow 1 Light 125 S

1x28-54W T16			136576A.	05	10
1x28-54W T16			136577A.	05	10
1x28-54W T16			136578A.	05	10
1x28-54W T16			136579A.	05	10
1x28-54W T16			136580A.	05	10
1x28-54W T16			136581A.	05	10



Colore/Finish
Ausführung
Couleurs/L'èpre

1x28-54W G5




Height from eye level **H**
 Room size **4H, 2H**
 Reflectances (ceiling/walls/floor) **0.7/0.5/0.2**
 Distance between luminaries **0.25H**

28W 54W
 UGR_{Revised} **11,9 13,8**
 UGR_{Crosswise} **11,9 13,7**



Room 3 **28W**




Room 3 **54W**


Shadow 2 Light S



(Shadow 2-291 S) mm 2811
 (Shadow 2-230 S) mm 2202
 (Shadow 2-155 S) mm 1450
 (Shadow 2-125 S) mm 1152



(Shadow 2-291 S) mm 2910 (114"1/2)
 (Shadow 2-230 S) mm 2301 (90"1/2)
 (Shadow 2-155 S) mm 1549 (61")
 (Shadow 2-125 S) mm 1251 (49"1/4)



(Shadow 2-291 S) mm 2910 (114"1/2)
 (Shadow 2-230 S) mm 2301 (90"1/2)
 (Shadow 2-155 S) mm 1549 (61")
 (Shadow 2-125 S) mm 1251 (49"1/4)




Shadow 2 Light 291 S

4x35-49-80W T16	MMMA	14,0	144606A	05	10
4x35-49-80W T16	analog dim	14,0	144607A	05	10
4x35-49-80W T16	DAI	14,0	144608A	05	10
4x35-49-80W T16	DTD	14,0	144609A	05	10
4x35-49-80W T16	1h 24h MMMA	14,5	144610A	05	10
4x35-49-80W T16	3h 12h MMMA	15,0	144611A	05	10





Colore/Finish
Ausführung
Couleurs/Liège

4x35-49-80W G5



Height from eye level **H**
 Room size **4H, 2H**
 Reflectances (ceiling/walls/floor) **0.7/0.5/0.2**
 Distance between luminaries **0.25H**

	35W	49W	80W
UGR _{randwise}	14,0	14,9	16,1
UGR _{crosswise}	13,9	14,8	16,1




Shadow 2 Light 230 S

Configuration	Dimming	Beam Spread	Code	05	10
4x28-54W T16	AMMA	11.2	144588A.	05	10
4x28-54W T16	analog dim	11.2	144589A.	05	10
4x28-54W T16	DALI	11.2	144590A.	05	10
4x28-54W T16	DTD	11.2	144591A.	05	10
4x28-54W T16	1h 24h AMMA	11.7	144592A.	05	10
4x28-54W T16	3h 12h AMMA	12.2	144593A.	05	10


Colore/Finish
Ausführung
Couleurs/L'èpre

4x28-54W G5




Height from eye level **H**
 Room size **4H, 2H**
 Reflectances (ceiling/walls/floor) **0.7/0.5/0.2**
 Distance between luminaries **0.25H**

28W 54W
 UGR_{rendwise} **14,0 15,8**
 UGR_{crosswise} **13,9 15,8**



Room 3 **28W**




Room 3 **54W**

Shadow 2 Light 155 S

Configuration	Dimming	Beam Spread	Code	05	10
2x35-49-80W T16	AMMA	9.1	144600A.	05	10
2x35-49-80W T16	analog dim	9.1	144601A.	05	10
2x35-49-80W T16	DALI	9.1	144602A.	05	10
2x35-49-80W T16	DTD	9.1	144603A.	05	10
2x35-49-80W T16	1h 24h AMMA	9.6	144604A.	05	10
2x35-49-80W T16	3h 12h AMMA	10.1	144605A.	05	10


Colore/Finish
Ausführung
Couleurs/L'èpre

2x35-49-80W G5




Height from eye level **H**
 Room size **4H, 2H**
 Reflectances (ceiling/walls/floor) **0.7/0.5/0.2**
 Distance between luminaries **0.25H**


35W 49W 80W
 UGR_{rendwise} **14,0 14,9 16,1**
 UGR_{crosswise} **13,9 14,8 16,1**



Room 3 **35W**



Room 3 **49W**




Room 3 **80W**

Shadow 2 Light 125 S

Configuration	Dimming	Beam Spread	Code	05	10
2x28-54W T16	AMMA	7.3	144582A.	05	10
2x28-54W T16	analog dim	7.3	144583A.	05	10
2x28-54W T16	DALI	7.3	144584A.	05	10
2x28-54W T16	DTD	7.3	144585A.	05	10
2x28-54W T16	1h 24h AMMA	7.8	144586A.	05	10
2x28-54W T16	3h 12h AMMA	8.3	144587A.	05	10


Colore/Finish
Ausführung
Couleurs/L'èpre

2x28-54W G5




Height from eye level **H**
 Room size **4H, 2H**
 Reflectances (ceiling/walls/floor) **0.7/0.5/0.2**
 Distance between luminaries **0.25H**

28W 54W
 UGR_{rendwise} **14,0 15,8**
 UGR_{crosswise} **13,9 15,7**



Room 3 **28W**



Room 3 **54W**